



## **Scrubber 75 / Parking**

Heavy-duty Cleaning with Best-in-class Sensing



SMART AND VERSATILE

## Maximize your cleaning productivity and coverage

With its strong brush pressure and a cleaning efficiency up to 3,000 m<sup>2</sup>/h, Scrubber 75 is an ideal choice for large-area, heavy-duty cleaning. Simultaneous scrubbing and sweeping is achievable with roller brushes, and makes Scrubber 75 a competent cleaner for industrial sites where trash and debris are common on the floor. Its 270° rotational scrub deck enables cleaning tight corners and ensures maximal cleaning coverage.

- Simultaneous scrubbing and sweeping
- 270° rotational scrub deck
- Up to 3,000 m<sup>2</sup>/h cleaning efficiency

ADVANCED SENSING AND LIGHTING

## An ultimate solution for car park cleaning

Scrubber 75 P is customized for car park cleaning. It adopts automotive-level sensor and lighting configurations to work smartly and safely in the dynamic environment of parking lots where a large volume of vehicles going in and out. The robot also has an oil cleaning mode to deal with the stubborn oil stains that are common on the floors of the parking lots.

- Oil stain cleaning
- Millimeter-wave radars
- Advanced lighting configuration

CLEANING MADE EFFORTLESS

## Simplify your work process

Scrubber 75 will make cleaning work much easier with little need for human interference. It perceives environmental changes, updates the map and reroutes itself in real time — you don't need to stand by to save it from getting lost or stuck. With the optional workstation, the robot can perform power charging and water refill by itself. It also offers remote access via Gausium mobile app that enables you to monitor and control your cleaning task from anywhere.

- Smart obstacle avoidance and rerouting
- Remote-control mobile app
- One-stop service workstation

## Key Features:

### ➤ Superb Productivity

- Integrating scrubbing, sweeping, dust mopping and degreasing
- Up to 3,000 m<sup>2</sup>/h cleaning efficiency

### 🧽 Oil Stain Cleaning

Able to mark oil stains in the map and perform thorough oil cleaning

### └ 270° Rotational Scrub Deck

Working perfectly on varying flooring types, be it a hard surface, a low pile carpet or a high pile carpet

### 💧 5-Stage Filtration System

Reducing around 80% freshwater consumption

### ☰ Ergonomic Manual Mode

Equipped with stand-on pedal and steering wheel for users to effortlessly carry the machine around

### 🏠 Minimal Human Intervention


Optional workstation for self-docking charging, water refill and discharge

### 💡 Advanced lighting system (75 P)

Adopting flashing light, blue projection light and supplement light, distinctively communicating the machine position through vehicle-identifiable signals

### 📡 Best-in-class Sensing

Market-leading sensor system consisting of 3D LiDAR, 2D Laser and 3D Cameras. 75 P is equipped with Millimeterwave radars for faster and more accurate perception of the vehicle movements



## Superb performance in a broad range of applications:

Shopping centers | Supermarkets | Transportation Hubs  
Manufacturing plants | Logistics warehouse | Plazas | Parking lots | etc.




Natural Stone



Artificial Marble / Granite



Ceramic



PVC & Vinyl



Epoxy



Concrete

# SPECIFICATION

## DIMENSION

Length	1,370 mm   54 in
Width	962 mm   38 in
Height	1,417 mm   56 in
Unladen Weight	400 kg   900 lb
Cleaning Width	750 mm   29 in

## CLEANING

Max. Scrubbing Productivity	3,000 m <sup>2</sup> /h   32,300 ft <sup>2</sup> /h
Brush Pressure	45 kg   99 lb
Clean Water Tank	75 L   20 gal
Recovered Water Tank	50 L   13 gal

## MOVEMENT

Gradeability (Autonomous Cleaning)	5°
Gradeability (Autonomous Driving)	8°
Max. Moving Speed	1.1 m/s   2.5 mph
Min. Passable Obstacle Height	10 mm   0.4 in
Min. Turn-around Width (Autonomous)	2,000 mm   47 in

## ELECTRICAL

Battery Type	Lithium Iron Phosphate
Battery Capacity	240 Ah
Rated Voltage	24 VDC
Max. Output Power	2,000 W   2.6 hp
Charging Time	5 hours
Uptime	≈ 4-6 hours

## SENSING

75	3D LiDAR, 2D LiDAR, 3D Camera Air Pressure Collision Sensor
75 P	3D LiDAR, 2D LiDAR, 3D Camera Air Pressure Collision Sensor, Millimeter-wave Radars

### Gaussian Robotics

Valeton 4 N, 5301LW Zaltbommel, The Netherlands



Our Offices:

Singapore 3 Fusionopolis Place, Galaxis Work Loft #04-52/53 Singapore  
HongKong SAR RM 212, Core Building No.1E, Hong Kong Science Park Phase 1, 1 Science Park East Avenue, Shatin, NT  
Mainland China No. 666 Shengxia Rd., Pudong District, Shanghai, China

+31 (0)611872148 E-mail: [support@gausium.com](mailto:support@gausium.com) [www.gausium.com](http://www.gausium.com)

[in](#) [▶](#) [f](#) @Gausium

\*Gausium is a registered trademark of Gaussian Robotics.

\*All content is subject to change.

©Gaussian Robotics 2022